

**REPORTING YEAR 2019** 

Presented By
Town of Amherst

#### **Our Mission Continues**

We are once again pleased to present our annual water quality report covering all testing performed between January 1 and December 31, 2019. Over the years, we have dedicated ourselves to producing drinking water that meets all state and federal standards. We continually strive to adopt new methods for delivering the best-quality drinking water to you. As new challenges to drinking water safety emerge, we remain vigilant in meeting the goals of source water protection, water conservation, and community education while continuing to serve the needs of all our water users.

Please remember that we are always available should you ever have any questions or concerns about your water.

#### Information on the Internet

The U.S. EPA (https://goo.gl/TFAMKc) and the Centers for Disease Control and Prevention (www. cdc.gov) Web sites provide a substantial amount of information on many issues relating to water resources, water conservation and public health. Also, the MADEP has a Web site (http://bit.ly/2HY4gfO) that provides complete and current information on water issues in Massachusetts, including valuable information about our watershed.

#### The Benefits of Fluoridation

Fluoride is a naturally occurring element in many water supplies in trace amounts. In our system, the fluoride level is adjusted to an optimal level averaging 0.7 parts per million (ppm) to improve oral health in children. At this level, it is safe, odorless, colorless, and tasteless. There are over 3.9 million people in 140 Massachusetts water systems and 184 million people in the U.S. who receive the health and economic benefits of fluoridation.

## **Source Water Description**

The Town currently has seven sources that contribute to meeting the water demand: Atkins Reservoir, the Pelham Reservoir System, the South Amherst Wells (#1 & #2), the Brown Well (#3), the Lawrence Swamp Well (#4), and the Bay Road Well (#5). Currently, the Atkins Reservoir and Well #4 are the primary water supplies, with Wells #1, #2, and #3 alternating as make-up water each day. These five sources supply approximately 90% of the total water produced. Well #5 operates during high demand periods, or as needed, throughout the year. The Pelham Reservoir System is offline at this time, and we still have had no problems meeting our demand.

In 2002, a Source Water Assessment Program (SWAP) was completed on the Amherst water system by the Massachusetts Department of Environmental Protection (MADEP). This SWAP report assessed the susceptibility of the Town's drinking water sources to contaminants and outlines recommendations for drinking water protection. A copy of the report is available at the Department of Public Works and online at https://www.mass.gov/doc/western-region-source-water-assessment-protection-swap-program-reports/download

## **Important Health Information**

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as those with cancer undergoing chemotherapy, those who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S. EPA/CDC (Centers for Disease Control and Prevention) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791 or https://www.cdc.gov/healthywater/drinking/.





PUTTING THESE ITEMS DOWN THE DRAIN OR INTO YOUR TOILETS CAN NOT ONLY BE DAMAGING TO YOUR PIPES, BUT IT CAN BE VERY COSTLY WHEN YOU NEED REPAIRS AND/OR A SEWER LINE REPLACEMENT DUE TO BLOCKAGES IN YOUR LINE.

#### **Substances That Could Be in Water**

To ensure that tap water is safe to drink, the Massachusetts Department of Environmental Protection (MADEP) and the U.S. Environmental Protection Agency (U.S. EPA) prescribe regulations limiting the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) and Massachusetts Department of Public Health (DPH) regulations establish limits for contaminants in bottled water that must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land

or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Substances that may be present in source water include:

We remain vigilant in delivering the best-quality drinking water

Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, or wildlife;

Inorganic Contaminants, such as salts and metals, which can be naturally occurring or may result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming;

Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses;

Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production and may also come from gas stations, urban stormwater runoff, and septic systems;

Radioactive Contaminants, which can be naturally occurring or may be the result of oil and gas production and mining activities.

More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline at (800) 426-4791.

### **Lead in Home Plumbing**

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high-quality drinking water, but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at (800) 426-4791 or at www.epa.gov/safewater/lead.

#### **Table Talk**

Get the most out of the Testing Results data table with this simple suggestion. In less than a minute, you will know all there is to know about your water:

For each substance listed, compare the value in the Amount Detected column against the value in the MCL (or AL, SMCL) column. If the Amount Detected value is smaller, your water meets the health and safety standards set for the substance.

# Other Table Information Worth Noting

Verify that there were no violations of the state and/or federal standards in the Violation column. If there was a violation, you will see a detailed description of the event in this report.

If there is an ND or a less-than symbol (<), that means that the substance was not detected (i.e., below the detectable limits of the testing equipment).

The Range column displays the lowest and highest sample readings. If there is an NA showing, that means only a single sample was taken to test for the substance (assuming there is a reported value in the Amount Detected column).

If there is sufficient evidence to indicate from where the substance originates, it will be listed under Typical Source.

## Questions?

For more information about this report, or for any questions relating to your drinking water, please call Guilford Mooring, Superintendent of Public Works, at (413) 259-3050.

## **BY THE NUMBERS**

The number of gallons of water produced daily by public water systems in the U.S.

34
BILLION

MILLION

The number of miles of drinking water distribution mains in the U.S.

The amount of money spent annually on maintaining the public water infrastructure in the U.S.

135
BILLION

300 MILLION

The number of Americans who receive water from a public water system.

The age in years of the world's oldest water found in a mine at a depth of nearly two miles.

BILLIO

151
THOUSAND

The number of active public water systems in the U.S.

The number of highly trained and licensed water professionals serving in the U.S.

199
THOUSAND

The number of federally regulated contaminants tested for in drinking water.

#### **Definitions**

**90th %ile:** Out of every 10 homes sampled, 9 were at or below this level. This number is compared to the Action Level to determine lead and copper compliance.

**AL (Action Level):** The concentration of a contaminant that, if exceeded, triggers treatment or other requirements that a water system must follow.

MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG (Maximum Contaminant Level Goal): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL (Maximum Residual Disinfectant Level): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial

MRDLG (Maximum Residual Disinfectant Level Goal): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

NA: Not applicable

**ND** (Not detected): Indicates that the substance was not found by laboratory analysis.

NTU (Nephelometric Turbidity Units): Measurement of the clarity, or turbidity, of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

**pCi/L** (picocuries per liter): A measure of radioactivity.

**ppb** (parts per billion): One part substance per billion parts water (or micrograms per liter).

**ppm** (parts per million): One part substance per million parts water (or milligrams per liter).

SMCL (Secondary Maximum Contaminant Level): These standards are developed to protect aesthetic qualities of drinking water and are not health based.

**TT** (**Treatment Technique**): A required process intended to reduce the level of a contaminant in drinking water.

#### **Test Results**

Our water is monitored for many different kinds of substances on a very strict sampling schedule. Also, the water we deliver must meet specific health standards. Here, we show only those substances that were detected in our water. (A complete list of all our analytical results is available upon request.) Remember that detecting a substance does not mean the water is unsafe to drink; our goal is to keep all detects below their respective maximum allowed levels.

The state recommends monitoring for certain substances less often than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

| REGULATED SUBSTANCES   |                 |                                    |                 |  |                   |                    |                   |           |   |  |
|--|-----------------|------------------------------------|-----------------|--|-------------------|--------------------|-------------------|-----------|---|--|
|  |                 |                                    |                 | Town of Amherst Atkins Treatment Plant |                   |                    | eatment Plant     |           |   |  |
| SUBSTANCE<br>(UNIT OF MEASURE)                                     | YEAR<br>SAMPLED | MCL<br>[MRDL]                      | MCLG<br>[MRDLG] | AMOUNT<br>DETECTED                     | RANGE<br>LOW-HIGH | AMOUNT<br>DETECTED | RANGE<br>LOW-HIGH | VIOLATION | TYPICAL SOURCE  |  |
| Alpha Emitters (pCi/L)   | 2017            | 15                                 | 0               | 0.555                                  | ND-3.2            | NA                 | NA                | No        | Erosion of natural deposits   |  |
| Barium (ppm)   | 2019            | 2                                  | 2               | NA                                     | NA                | 0.0091             | ND-0.0091         | No        | Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits  |  |
| Combined Chlorine (ppm)  | 2019            | [4.0]                              | [4]             | 0.69                                   | 0.1-2.8           | 2.21               | 1.4-2.81          | No        | Water additive used to control microbes   |  |
| Combined Radium (pCi/L)  | 2017            | 5                                  | 0               | 0.50                                   | 0.257-0.434       | NA                 | NA                | No        | Erosion of natural deposits   |  |
| Fluoride (ppm)   | 2019            | 4                                  | 4               | 0.53                                   | 0.3-0.9           | 0.65               | 0-1.2             | No        | Water additive that promotes strong teeth   |  |
| Haloacetic Acids [HAAs] (ppb)                                      | 2019            | 60                                 | NA              | 12.3                                   | ND-41.5           | NA                 | NA                | No        | By-product of drinking water disinfection   |  |
| Nitrate (ppm)  | 2019            | 10                                 | 10              | 0.95                                   | 0.0647-2.42       | ND                 | NA                | No        | Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits |  |
| TTHMs [Total<br>Trihalomethanes] (ppb)                             | 2019            | 80                                 | NA              | 12.9                                   | ND-35.5           | NA                 | NA                | No        | By-product of drinking water disinfection   |  |
| Turbidity (NTU)  | 2019            | TT                                 | NA              | NA                                     | NA                | 0.13               | 0.03-0.38         | No        | Soil runoff   |  |
| <b>Turbidity</b> (Lowest monthly percent of samples meeting limit) | 2019            | TT = 95% of samples meet the limit | NA              | NA                                     | NA                | 98                 | NA                | No        | Soil runoff   |  |

Tap water samples were collected for lead and copper analyses from sample sites throughout the community.

|                                |                 | Town of Ar | nherst |                                |                               |           |   |
|--------------------------------|-----------------|------------|--------|--------------------------------|-------------------------------|-----------|---|
| SUBSTANCE<br>(UNIT OF MEASURE) | YEAR<br>SAMPLED | AL         | MCLG   | AMOUNT DETECTED<br>(90TH %ILE) | SITES ABOVE<br>AL/TOTAL SITES | VIOLATION | TYPICAL SOURCE  |
| Copper (ppm)                   | 2017            | 1.3        | 1.3    | 0.100                          | 0/31                          | No        | Corrosion of household plumbing systems; Erosion of natural deposits  |
| Lead (ppb)                     | 2017            | 15         | 0      | 0.0054                         | 0/31                          | No        | Lead services lines; Corrosion of household plumbing systems including fittings and fixtures; Erosion of natural deposits |

| UNREGULATED SUBSTANCES <sup>2</sup> |                 |                    |                   |                                |         |  |  |  |  |
|-------------------------------------|-----------------|--------------------|-------------------|--------------------------------|---------|--|--|--|--|
|                                     |                 | Town o             | f Amherst         | Atkins Treatment Plant         |         |  |  |  |  |
| SUBSTANCE<br>(UNIT OF MEASURE)      | YEAR<br>SAMPLED | AMOUNT<br>DETECTED | RANGE<br>LOW-HIGH | AMOUNT RANGE DETECTED LOW-HIGH |         |  |  |  |  |
| Manganese (ppm)                     | 2019            | 0.029              | 0.002-0.056       | ND                             | ND      |  |  |  |  |
| Sodium (ppm)                        | 2019            | NA                 | NA                | 7.75                           | ND-7.75 |  |  |  |  |

<sup>&</sup>lt;sup>1</sup> Sampled in 2018

<sup>&</sup>lt;sup>2</sup>Unregulated contaminants are those for which the U.S. EPA has not established drinking water standards. The purpose of monitoring unregulated contaminants is to assist the EPA in determining their occurrence in drinking water and whether future regulation is warranted.